CLINICAL PHARMACOLOGY and THERAPEUTICS

Editor

Walter Modell, M.D.

Editorial Board

Alvito P. Alvares, Ph.D.
Wilbert S. Aronow, M.D.
Arthur J. Atkinson, Jr., M.D.
Frank M. Berger, M.D., D.Sc.
Karl H. Beyer, Jr., M.D., Ph.D.
Hylan A. Bickerman, M.D.
Edward A. Carr, Jr., M.D.
Leighton E. Cluff, M.D.
Allan H. Conney, Ph.D.
T. S. Danowski, M.D.
Arthur C. DeGraff, M.D.
Peter Dineen, M.D.
Edward F. Domino, M.D.
Alvan R. Feinstein, M.D.
Vladimir Fencl, M.D.
Max Fink, M.D.
Robert B. Forney, Ph.D.
Emil Frei, III, M.D.
Franz Gross, M.D.
Arthur Hull Hayes, Jr., M.D.
Leo E. Hollister, M.D.
Bartholomew P. Hsi, Ph.D.
Murray E. Jarvik, M.D.
Ernest Jawetz, M.D., Ph.D.
Stanley A. Kaplan, Ph.D.
Attallah Kappas, M.D.
Arthur S. Keats, M.D.
Richard H. Kessler, M.D.
Joseph B. Kirsner, M.D., Ph.D.
Kenneth G. Kohlstaedt, M.D.
Louis Lasagna, M.D.
Louis Lemberger, M.D., Ph.D.
Gerhard Levy, Pharm.D.
T. A. Loomis, M.D., Ph.D.
Daniel S. Lukas, M.D.
Dean T. Mason, M.D.
Fletcher H. McDowell, M.D.
Arno G. Motulsky, M.D.
R. K. Richards, M.D.
David G. Shand, M.B., Ph.D.
Jay Tepperman, M.D.
Max Tishler, Ph.D.
Leroy D. Vandam, M.D.
Elliot S. Vesell, M.D.
John G. Wagner, Ph.D.
E. Leong Way, Ph.D.

Volume 23, January-June, 1978
The C. V. Mosby Company, St. Louis

Volume 23
Copyright © 1978 by
The C. V. Mosby Company

All rights reserved

Printed in the United States of America

Index to volume 23

Author index

A

AFFRIME, M. B. (*See* Lowenthal et al.), 606
AGURELL, S. (*See* Jostell et al.), 181
ALEXANDER, F. (*See* Stote et al.), 456
ALLEN, M. K. (*See* Maxwell et al.), 515
ALVARES, A. P. (*See* Kappas st al.), 445
ANDERSON, K. E. (*See* Kappas et al.), 445
ANGELI, A., FRAJRIA, R., DE PAOLI, R., FONZO, D., AND CERESA, F. Diurnal variation of prednisolone binding to serum corticosteroid-binding globulin in man, 47
ÄNGGÅRD, E. (*See* Holmstrand et al.), 175
ANSARI, A. F. (*See* Lawrence et al.), 558
ARANDA, J. V. (*See* Woo et al.), 266
ARCHER, G. L. (*See* Polk et al.), 473
ARENDT-RACINE, E. C., ATKINSON, M. H., DECOTEAU, E., FLATT, V. L., AND VARADY, J. Drug trial in rheumatoid arthritis: A new design, 233
ARMITAGE, A., DOLLERY, C., HOUSEMAN, T., KOHNER, E., LEWIS, P. J., AND TURNER, D. Absorption of nicotine from small cigars, 143
ARNOLD, J. D. (*See* Savitsky et al.), 73
ARSENAULT, A. (*See* Lussier et al.), 402
ATKINSON, M. H. (*See* Arendt-Racine et al.), 233
AZARNOFF, D. L. (*See* Carruthers et al.), 375
—. (*See* Wan et al.), 585

B

BALL, M. R. (*See* Moore-Ede et al.), 218
BARDEN, T. P. (*See* Bloomfield et al.), 390
BEG, M. (*See* Okun and Beg), 703
BENJAMIN, D. M. (*See* Maxwell et al.), 515
BENJAMINI, E. (*See* Schleimer et al.), 188
BENNETT, W. M. (*See* Myers et al.), 356
BENSON, J. (*See* Kramer et al.), 467
BIGGS, J. T. (*See* Ziegler et al.), 573, 580
BJORNSSON, T. D. (*See* Richards et al.), 430
BLACK, J. (*See* Savitsky et al.), 73
BLOOMFIELD, S. S., BARDEN, T. P., AND MITCHELL, J. Fendosal and aspirin in postpartum uterine pain, 390
BOBERG, J. (*See* Vessby et al.), 651
BOLLI, P. (*See* Wood et al.), 697
BORÉUS, L. O. (*See* Ekstrand et al.), 329
BOYDEN, C. M. (*See* Moore-Ede et al.), 218
BRAITHWAITE, R., MONTGOMERY, S., AND DAWLING, S. Nortriptyline in depressed patients with high plasma levels. II, 303
—. (*See* Montgomery et al.), 309
BRANCH, R. A. (*See* Kornhauser et al.), 165
BRATER, D. C. Increase in diuretic effect of chlorothiazide by probenecid, 259
BREIMER, D. D. (*See* Zilly et al.), 525
BRILIS, G. M. (*See* Wilson et al.), 635
BRUNTON, G. F. (*See* Lawrence et al.), 558
BUCH, J. (*See* Waldorff and Buch), 19
BUSBY, P. (*See* Lowenthal et al.), 606
BYE, C. (*See* Johnson et al.), 315
BYMASTER, F. (*See* Lemberger et al.), 421

C

CAPUTO, J. F. (*See* Perry et al.), 535
CARMICHAEL, R. (*See* Lemberger et al.), 421
CARON, H. S. (*See* Roth and Caron), 361
CARRUTHERS, S. G., SHOEMAN, D. W., HIGNITE, C. E., AND AZARNOFF, D. L. Correlation between plasma diphenhydramine level and sedative and antihistamine effects, 375
CATERSON, R. J., COLLETT, P. V., HOOD, V. L., DUGGIN, G. G., HORVATH, J. S., JOHNSON, J. R., SAMPSON, J., AND TILLER, D. J. Trimethoprim/sulfamethoxazole and renal function in transplant patients, 553
CERESA, F. (*See* Angeli et al.), 47
CHABNER, B. (*See* Hande et al.), 598
CHANG, R. (*See* Kappas et al.), 445
CHAPRON, D. J. (*See* Kramer et al.), 467
CHERIPKO, J. (*See* Reidenberg et al.), 371
CHESTER, E. H., DOGGETT, W. E., MONTENEGRO, H. D., SCHWARTZ, H. J., AND JONES, P. K. Bronchodilating effect of terbutaline aerosol, 630
CHRASTIL, J. (*See* Wilson et al.), 635
CHVAPIL, M. (*See* Fleisher et al.), 520
COHN, J. N. (*See* Franciosa and Cohn), 11
COLLETT, P. V. (*See* Caterson et al.), 553

January, pp. 1-138; February, pp. 139-246; March, pp. 247-370; April, pp. 371-494; May, pp. 495-616; June, pp. 617-742.

COLLINGE, J. (*See* Woo et al.), 266
COMSTOCK, E. G. (*See* Faulkner et al.), 36
COMSTOCK, T. J. (*See* Kates et al.), 30
CONNEY, A. H. (*See* Kappas et al.), 445
COON, W. W. Heparin: A drug of varying composition and effectiveness, 139 (Commentary)
CORYELL, W. H. (*See* Ziegler et al.), 573, 580
COTZIAS, G. C. (*See* Papavasiliou et al.), 195
COUTINHO, C. B. (*See* Reidenberg et al.), 371
CRABTREE, R. (*See* Lemberger et al.), 421
CRABTREE, R. E. (*See* Rubin et al.), 272

D

DAURIO, C. (*See* DeSchepper et al.), 669
DAVIS, J. W., LEWIS, H. D., JR., PHILLIPS, P. E., SCHWEGLER, R. A., YUE, K. T. N., AND HASSANEIN, K. R. Effect of aspirin on exercise-induced angina, 505
DAWLING, S. (*See* Braithwaite et al.), 303
—. (*See* Montgomery et al.), 309
DECOTEAU, W. E. (*See* Arendt-Racine et al.), 233
DEFEHR, J. (*See* Myers et al.), 356
DE PAOLI, R. (*See* Angeli et al.), 47
DE ROO, M. (*See* DeSchepper et al.), 669
DESCHEPPER, P. J., TJANDRAMAGA, T. B., DE ROO, M., VERHAEST, L., DAURIO, C., STEELMAN, S. L., AND TEMPERO, K. F. Gastrointestinal blood loss after diflunisal and after aspirin: Effect of ethanol, 669
DE ZEEUW, R. A. (*See* Westenberg et al.), 320
DHAHIR, P. (*See* Rubin et al.), 272
DINEEN, P. Hand-washing degerming: A comparison of povidone-iodine and chlorhexidine, 63
DOCZI, J. (*See* Savitsky et al.), 73
DOGGETT, W. E. (*See* Chester et al.), 630
DOLLERY, C. (*See* Armitage et al.), 143
DONAHAY, S. L. (*See* Maxwell et al.), 515
DROUILLARD, D. D., VESELL, E. S., AND DVORCHIK, B. H. Studies on theobromine disposition in normal subjects, 296
DUBB, J. W. (*See* Stote et al.), 456
DUGAL, R. (*See* Pechere et al.), 677
DUGGIN, G. G. (*See* Caterson et al.), 553
DUPONT, C. (*See* Woo et al.), 266
DVORCHIK, B. H., AND VESELL, E. S. Significance of error associated with use of the one-compartment formula to calculate clearance of thirty-eight drugs, 617 (Commentary)
—. (*See* Drouillard et al.), 296
DZINDZIO, B. S. (*See* Ueda and Dzindzio), 158

E

EHRNEBO, M. (*See* Ekstrand et al.), 329
EISELE, J. (*See* Schleimer et al.), 188
EISELE, J. H. (*See* Flaim et al.), 542
EKSTRAND, J., EHRNEBO, M., AND BORÉUS, L. O. Fluoride bioavailability after intravenous and oral administration: Importance of renal clearance and urine flow, 329
ELLIOTT, H. L. (*See* Lawrence et al.), 558
EVANS, W. E., AND PRATT, C. B. Effect of pleural effusion on high-dose methotrexate kinetics, 68

F

FAMILIAR, R. G. (*See* Stote et al.), 456
FAULKNER, T. P., MCGINITY, J. W., HAYDEN, J. H., MARTINEZ, M., AND COMSTOCK, E. G. Pharmacokinetic studies on tolerance to sedative-hypnotics in a poly-drug abuse population. I. Secobarbital, 36
FEINSTEIN, A. R. Clinical biostatistics. XLII. The architecture of cross-sectional research (Part I), 81
—. XLIII. The architecture of cross-sectional research (conclusion), 481
FINE, A. (*See* Tilstone and Fine), 644
FITZPATRICK, G. F. (*See* Moore-Ede et al.), 218
FLAIM, S. F., ZELIS, R., AND EISELE, J. H. Differential effects of morphine on forearm blood flow: Attenuation of sympathetic control of the cutaneous circulation, 542
FLATT, V. L. (*See* Arendt-Racine et al.), 233
FLEISHER, J. H., PEACOCK, E. E., JR., AND CHVAPIL, M. Urinary excretion of β-aminopropionitrile and cyanoacetic acid, 520
FONZO, D. (*See* Angeli et al.), 47
FOWLER, R. C. (*See* Perry et al.), 535
FRAJRIA, R. (*See* Angeli et al.), 47
FRANCIOSA, J. A., AND COHN, J. N. Hemodynamic effects of trimazosin in patients with left ventricular failure, 11
FRANKLIN, B. A. (*See* Gal et al.), 438
FRIEDMAN, N. (*See* Sennello et al.), 414
FROLICH, J. C. (*See* Rane et al.), 658
FU, K. P. (*See* Jahre et al.), 591

G

GAGLIARDI, C. L. (*See* Shively et al.), 408
GAL, P., JUSKO, W. J., YURCHAK, A. M., AND FRANKLIN, B. A. Theophylline disposition in obesity, 438
GANTT, C. (*See* Staquet et al.), 397
GIACOMINI, K. M. (*See* Levy and Giacomini), 247 (Commentary)
GIBSON, T. P., REICH, S. D., KRUMLOVSKY, K. A., AND IVANOVICH, P. Hemoperfusion for methotrexate removal, 351
GILLESPIE, H. K. (*See* Nakano et al.), 54
GREEN, D. (*See* Hoth et al.), 712
GUNNE, L.-M. (*See* Holmstrand et al.), 175

H

HAMBURGER, R. J. (*See* Maxwell et al.), 515
HANDE, K., REED, E., AND CHABNER, B. Allopurinol kinetics, 598
HANIFL, K. M. (*See* Ziegler et al.), 580
HARTSHORN, R. D. (*See* Shively et al.), 408

HASSANEIN, K. R. (*See* Davis et al.), 505
HATA, T. (*See* Ogihara et al.), 566
HAWF, D. J. (*See* Ziegler et al.), 573, 580
HAYDEN, J. H. (*See* Faulkner et al.), 36
HELLSING, K. (*See* Vessby et al.), 651
HENDERSON, G. (*See* Schleimer et al.), 188
HENDERSON, I. W. D. (*See* Morris and Henderson), 383
HEPLER, C. D. (*See* Perry et al.), 535
HIGNITE, C. E. (*See* Carruthers et al.), 375
HOBBS, D. C., AND TWOMEY, T. M. Kinetics of polythiazide, 241
HOLLADAY, M. W. (*See* Wilson et al.), 635
HOLLISTER, L. E. (*See* Jostell et al.), 181
—. (*See* Nakano and Hollister), 199
—. (*See* Nakano et al.), 54
HOLMSTRAND, J., ÄNGGÅRD, E., AND GUNNE, L.-M. Methadone maintenance: Plasma levels and therapeutic outcome, 175
HOOD, V. L. (*See* Caterson et al.), 553
HORNG, J. S. (*See* Lemberger et al.), 421
HORVATH, J. S. (*See* Caterson et al.), 553
HOTH, D., WOOLLEY, P., GREEN, D., MACDONALD, J., AND SCHEIN, P. Phase I studies on chlorozotocin, 712
HOUSEMAN, T. (*See* Armitage et al.), 143
HOWELL, R. L. (*See* Wilson et al.), 635
HOWELL, S. B. (*See* Stark and Howell), 461

I

INABA, T., STEWART, D. J., AND KALOW, W. Metabolism of cocaine in man, 547
IVANOVICH, P. (*See* Gibson et al.), 351

J

JACKSON, D. H. (*See* Popio et al.), 281
JAHRE, J. A., FU, K. P., AND NEU, H. C. Kinetics of netilmicin and gentamicin, 591
JOHNSON, B. F., O'GRADY, J., SABEY, G. A., AND BYE, C. Effect of a standard breakfast on digoxin absorption in normal subjects, 315
JOHNSON, J. R. (*See* Caterson et al.), 553
JONES, P. K. (*See* Chester et al.), 630
JOSTELL, K. G., AGURELL, S., HOLLISTER, L. E., AND WERMUTH, B. Kinetics of chlormethiazole in patients with alcohol withdrawal manifestations, 181
JULIUS, S. (*See* Simon et al.), 152
JUSKO, W. J. (*See* Gal et al.), 438
—. (*See* Lima and Jusko), 25

K

KALOW, W. (*See* Inaba et al.), 547
KAPPAS, A., ALVARES, A. P., ANDERSON, K. E., PANTUCK, E. J., PANTUCK, C. B., CHANG, R., AND CONNEY, A. H. Effect of charcoal-broiled beef on antipyrine and theophylline metabolism, 445
KARCH, F. E. (*See* Rivera-Calimlim et al.), 451
KATES, R. E., SOKOLOSKI, T. D., AND COMSTOCK, T. J. Binding of quinidine to plasma proteins in normal subjects and in patients with hyperlipoproteinemias, 30
KENWORTHY, M. C. (*See* Ruffin et al.), 338
KERZNER, B. (*See* Rivera-Calimlim et al.), 451
KIM, K. E. (*See* Lowenthal et al.), 606
KIOWSKI, W. (*See* Simon et al.), 152
KOHNER, E. (*See* Armitage et al.), 143
KORNHAUSER, D. M., WOOD, A. J. J., VESTAL, R. E., WILKINSON, G. R., BRANCH, R. A., AND SHAND, D. G. Biological determinants of propranolol disposition in man, 165
KRAMER, P. A., CHAPRON, D. J., BENSON, J., AND MERCIK, S. A. Tetracycline absorption in elderly patients with achlorhydria, 467
KRISTENSEN, B. Ø., STEINESS, E., AND WEEKE, J. Propranolol withdrawal and thyroid hormones in patients with essential hypertension, 624
KRUMLOVSKY, K. A. (*See* Gibson et al.), 351
KUMAHARA, Y. (*See* Ogihara et al.), 566

L

LAWRENCE, J. R., ANSARI, A. F., ELLIOTT, H. L., SUMNER, D. J., BRUNTON, G. F., WHITING, B., AND WHITESMITH, R. Kinetic and dynamic comparison of piretanide and furosemide, 558
LEMBERGER, L., ROWE, H., CARMICHAEL, R., CRABTREE, R., HORNG, J. S., BYMASTER, F., AND WONG, D. Fluoxetine, a selective serotonin uptake inhibitor, 421
—. (*See* Rubin et al.), 272
LEVY, G., AND GIACOMINI, K. M. Rational aspirin dosage regimens, 247 (Commentary)
—. (*See* Wingard et al.), 212
LEVY, M. M. (*See* Reidenberg et al.), 371
LEWIS, H. D., JR. (*See* Davis et al.), 505
LEWIS, P. J. (*See* Armitage et al.), 143
LIMA, J. J., AND JUSKO, W. J. Determination of procainamide acetylator status, 25
LITHELL, H. (*See* Vessby et al.), 651
LOWENTHAL, D. T., PITONE, J. M., AFFRIME, M. B., SHIRK, J., BUSBY, P., KIM, K. E., NANCARROW, J., SWARTZ, C. D., AND ONESTI, G. Timolol kinetics in chronic renal insufficiency, 606
LOWER, R. (*See* Polk et al.), 473
LUFT, F. C. (*See* Maxwell et al.), 515
LUSSIER, A., ARSENAULT, A., AND VARADY, J. Gastrointestinal microbleeding after aspirin and naproxen, 402

M

MACDONALD, J. (*See* Hoth et al.), 712
—. (*See* Staquet et al.), 397
MANDAI, T. (*See* Ogihara et al.), 566
MARTINEZ, M. (*See* Faulkner et al.), 36
MARUYAMA, A. (*See* Ogihara et al.), 566
MATIN, S. B. (*See* Wan et al.), 585

MAXWELL, D. R., BENJAMIN, D. M., DONAHAY, S. L., ALLEN, M. K., HAMBURGER, R. J., AND LUFT, F. C. Calcitriol in dialysis patients, 515
MCAULEY, R. (*See* Montgomery et al.), 309
MCDOWELL, F. H. (*See* Papavasiliou et al.), 195
MCGINITY, J. W. (*See* Faulkner et al.), 36
MCMAHON, F. G. The effects of new Federal regulations on clinical investigation, 495
MEGUID, M. M. (*See* Moore-Ede et al.), 218
MERCIK, S. A. (*See* Kramer et al.), 467
MICELI, J. (*See* Olson et al.), 204
MIKAMI, H. (*See* Ogihara et al.), 566
MILLS, D. G. Effects of methaqualone on blood platelet function, 685
MITCHELL, J. (*See* Bloomfield et al.), 390
MODELL, W. Clinical pharmacology: Reflections in my rear-view mirror, 497 (Commentary)
MONTENEGRO, H. D. (*See* Chester et al.), 630
MONTGOMERY, S., BRAITHWAITE, R., DAWLING, S., AND MCAULEY, R. High plasma nortriptyline levels in the treatment of depression. I, 309
—. (*See* Braithwaite et al.), 303
MOORE, G. (*See* Morgan et al.), 288
MOORE-EDE, M. C., MEGUID, M. M., FITZPATRICK, G. F., BOYDEN, C. M., AND BALL, M. R. Circadian variation in response to potassium infusion, 218
MORGAN, D., MOORE, G., THOMAS, J., AND TRIGGS, E. Disposition of meperidine in pregnancy, 288
MORRIS, M. E., AND HENDERSON, I. W. D. Analgesic activity of floctafenine after cholecystectomy, 383
MULLEN, P. W. Optimal phenytoin therapy: A new technique for individualizing dosage, 228
MYERS, D. R., DEFEHR, J., BENNETT, W. M., PORTER, G. A., AND OLSEN, G. D. Gentamicin binding to serum and plasma proteins, 356

N

NAKAMARU, M. (*See* Ogihara et al.), 566
NAKANO, S., GILLESPIE, H. K., AND HOLLISTER, L. E. A model for evaluation of antianxiety drugs with the use of experimentally induced stress: Comparison of nabilone and diazepam, 54
—and HOLLISTER, L. E. No circadian effect on nortriptyline kinetics in man, 199
NANCARROW, J. (*See* Lowenthal et al.), 606
NEU, H. C. (*See* Jahre et al.), 591
NEWHOUSE, M. T. (*See* Ruffin et al.), 338

O

OATES, J. A. (*See* Rane et al.), 658
OBERMEYER, B. D. (*See* Rubin et al.), 272
OEI, T. T. (*See* Westenberg et al.), 320
OELZ, O. (*See* Rane et al.), 658
OGIHARA, T., HATA, T., MIKAMI, H., NAKAMARU, M., MARUYAMA, A., MANDAI, T., AND KUMAHARA, Y. Sodium depletion and blood pressure response to 1-sarcosine, 8-isoleucine angiotensin II in hypertension, 566
O'GRADY, J. (*See* Johnson et al.), 315
OKUN, R., AND BEG, M. Ticrynafen and hydrochlorothiazide in hypertension, 703
OLSEN, G. D. (*See* Myers et al.), 356
OLSON, W., MICELI, J., AND WEBER, W. Dose-dependent changes in sulfamethazine kinetics in rapid and slow isoniazid acetylators, 204
ONESTI, G. (*See* Lowenthal et al.), 606
O'REILLY, R. A. (*See* Wingard et al.), 212

P

PAINTER, M. (*See* Pitlick et al.), 346
PANTUCK, C. B. (*See* Kappas et al.), 445
PANTUCK, E. J. (*See* Kappas et al.), 445
PAPAVASILIOU, P. S., COTZIAS, G. C., MCDOWELL, F. H., ROSAL, V. L. F., AND SHEEHAN, P. J. Cyproheptadine in levodopa-induced dyskinesia in parkinsonism, 195
PAREIRA, J. (*See* Saenger et al.), 692
PEACOCK, E. E., JR. (*See* Fleisher et al.), 520
PECHERE, J.-C., DUGAL, R., AND PECHERE, M.-M. Kinetics of netilmicin in man, 677
PECHERE, M.-M. (*See* Pechere et al.), 677
PERRY, P. J., WILDING, D. C., FOWLER, R. C., HEPLER, C. D., AND CAPUTO, J. F. Absorption of oral and intramuscular chlordiazepoxide by alcoholics, 535
PHILLIPS, P. E. (*See* Davis et al.), 505
PIPPENGER, C. (*See* Pitlick et al.), 346
PITLICK, W., PAINTER, M., AND PIPPENGER, C. Phenobarbital pharmacokinetics in neonates, 346
PITONE, J. M. (*See* Lowenthal et al.), 606
POLK, R. E., ARCHER, G. L., AND LOWER, R. Cefamandole kinetics during cardiopulmonary bypass, 473
POPIO, K. A., JACKSON, D. H., ROSS, A. M., SHREINER, B. F., AND YU, P. N. Hemodynamic and respiratory effects of morphine and butorphanol, 281
PORTER, G. A. (*See* Myers et al.), 356
PRATT, C. B. (*See* Evans and Pratt), 68
PRICHARD, B. N. C. (*See* Richards and Prichard), 253

R

RANE, A., OELZ, O., FROLICH, J. C., SEYBERTH, H. W., SWEETMAN, B. J., WATSON, J. T., WILKINSON, G. R., AND OATES, J. A. Relation between plasma concentration of indomethacin and its effect on prostaglandin synthesis and platelet aggregation in man, 658

REED, E. (*See* Hande et al.), 598
REICH, S. D. (*See* Gibson et al.), 351
REIDENBERG, M. M., LEVY, M., WARNER, H., COUTINHO, C. B., SCHWARTZ, M. A., YU, G., AND CHERIPKO, J. Relationship between diazepam dose, plasma level, age, and central nervous system depression, 371
—, 723 (Correspondence)
RICHARDS, D. A., AND PRICHARD, B. N. C. Concurrent antagonism of isoproterenol and norepinephrine after labetalol, 253
RICHARDS, R. K., BJORNSSON, T. D., AND WATERBURY, L. D. Rise in serum and urine creatinine after phenacemide, 430
RICHTER, E. (*See* Zilly et al.), 525
RIFKIND, A. B. (*See* Saenger et al.), 692
RIVERA-CALIMLIM, L., KERZNER, B., AND KARCH, F. E. Effect of lithium on plasma chlorpromazine levels, 451
ROSAL, V. L. F. (*See* Papavasiliou et al.), 195
ROSEN, S. H. (*See* Ziegler et al.), 573, 580
ROSS, A. M. (*See* Popio et al.), 281
ROTH, H. P., AND CARON, H. S. Accuracy of doctors' estimates and patients' statements on adherence to a drug regimen, 361
ROWE, H. (*See* Lemberger et al.), 421
—. (*See* Rubin et al.), 272
RUBIN, A., LEMBERGER, L., DHAHIR, P., WARRICK, P., CRABTREE, R. E., OBERMEYER, B. D., WOLEN, R. L., AND ROWE, H. Physiologic disposition of lergotrile, 272
RUFFIN, R. E., KENWORTHY, M. C., AND NEWHOUSE, M. T. Respo se of asthmatic patients to fenoterol inhalation: A method of quantifying the airway bronchodilator dose, 338

S

SABEY, G. A. (*See* Johnson et al.), 315
SAENGER, P., RIFKIND, A. B., AND PAREIRA, J. Effect of glucocorticoids and ACTH on antipyrine clearance in children, 692
SAMPSON, J. (*See* Caterson et al.), 553
SAVITSKY, J. P., DOCZI, J., BLACK, J., AND ARNOLD, J. D. A clinical safety trial of stroma-free hemoglobin, 73
SCHEIN, P. (*See* Hoth et al.), 712
SCHLEIMER, R., BENJAMINI, E., EISELE, J., AND HENDERSON, G. Pharmacokinetics of fentanyl as determined by radioimmunoassay, 188
SCHWARTZ, H. J. (*See* Chester et al.), 630
SCHWARTZ, M. A. (*See* Reidenberg et al.), 371
SCHWEGLER, R. A. (*See* Davis et al.), 505
SENNELLO, L. T., SONDERS, R. C., AND FRIEDMAN, N. Effect of food on kinetics of the nonsteroidal anti-inflammative, alclofenac, 414
SEYBERTH, H. W. (*See* Rane et al.), 658
SHAND, D. G. (*See* Kornhauser et al.), 165
SHEEHAN, P. J. (*See* Papavasiliou et al.), 195
SHIRK, J. (*See* Lowenthal et al.), 606
SHIVELY, C. A., GAGLIARDI, C. L., HARTSHORN, R. D., AND VESELL, E. S. Failure of hydrocortisone to alter acutely antipyrine disposition, 408
SHOEMAN, D. W. (*See* Carruthers et al.), 375
SHREINER, B. F. (*See* Popio et al.), 281
SIMON, G., KIOWSKI, W., AND JULIUS, S. Antihypertensive and β-adrenoceptor antagonist action of timolol, 152
SIMPSON, F. O. (*See* Wood et al.), 697
SOKOLOSKI, T. D. (*See* Kates et al.), 30
SONDERS, R. C. (*See* Sennello et al.), 414
STAQUET, M., GANTT, C., AND MACHIN, D. Effect of a nitrogen analog of tetrahydrocannabinol on cancer pain, 397
STARK, J. J., AND HOWELL, S. B. Nephrotoxicity of cis-platinum (II) dichlorodiammine, 461
STEELMAN, S. L. (*See* DeSchepper et al.), 669
STEINESS, E. Suppression of renal excretion of digoxin in hypokalemic patients, 511
—. (*See* Kristensen et al.), 624
STEWART, D. J. (*See* Inaba et al.), 547
STOTE, R. M., DUBB, J. W., FAMILIAR, R. G., AND ALEXANDER, F. Ticrynafen, a uricosuric antihypertensive diuretic, 456
SUMNER, D. J. (*See* Lawrence et al.), 558
SWARTZ, C. D. (*See* Lowenthal et al.), 606
SWEETMAN, B. J. (*See* Rane et al.), 658

T

TABER, D. F. (*See* Wilson et al.), 635
TEMPERO, K. F. (*See* DeSchepper et al.), 669
THOMAS, J. (*See* Morgan et al.), 288
TILLER, D. J. (*See* Caterson et al.), 553
TILSTONE, W. J., AND FINE, A. Furosemide kinetics in renal failure, 644
TJANDRAMAGA, T. B. (*See* DeSchepper et al.), 669
TRIGGS, E. (*See* Morgan et al.), 288
TURNER, D. (*See* Armitage et al.), 143
TWOMEY, T. M. (*See* Hobbs and Twomey), 241

U

UEDA, C. T., AND DZINDZIO, B. S. Quinidine kinetics in congestive heart failure, 158

V

VAN DER KLEIJN, E. (*See* Westenberg et al.), 320
VARADY, J. (*See* Arendt-Racine et al.), 233
—. (*See* Lussier et al.), 402
VERHAEST, L. (*See* DeSchepper et al.), 669
VESELL, E. S. (*See* Drouillard et al.), 296
—. (*See* Dvorchik and Vesell), 617 (Commentary)
—. (*See* Shively et al.), 408
VESSBY, B., LITHELL, H., BOBERG, J., AND HELLSING, K. Para-aminosalicylic acid as a lipid-lowering agent, 651
VESTAL, R. E. (*See* Kornhauser et al.), 165

W

WAAL-MANNING, H. J. (*See* Wood et al.), 697
WALDORFF, S., AND BUCH, J. Serum digoxin and empiric methods in identification of digitoxicity, 19
WAN, S. H., MATIN, S. B., AND AZARNOFF, D. L. Kinetics, salivary excretion of amphetamine isomers, and effect of urinary pH, 585
WARNER, H. (*See* Reidenberg et al.), 371
WARRICK, P. (*See* Rubin et al.), 272
WATERBURY, L. D. (*See* Richards et al.), 430
WATSON, J. T. (*See* Rane et al.), 658
—. (*See* Wilson et al.), 635
WEBER, W. (*See* Olson et al.), 204
WEEKE, J. (*See* Kristensen et al.), 624
WERMUTH, B. (*See* Jostell et al.), 181
WESTENBERG, H. G. M., VAN DER KLEIJN, E., OEI, T. T., AND DE ZEEUW, R. A. Kinetics of carbamazepine and carbamazepine-epoxide, determined by use of plasma and saliva, 320
WHITESMITH, R. (*See* Lawrence et al.), 558
WHITING, B. (*See* Lawrence et al.), 558
WILBUR, C. S. (*See* Zifferblatt and Wilbur), 1 (Commentary)
WILDING, D. C. (*See* Perry et al.), 535
WILKINSON, G. R. (*See* Kornhauser et al.), 165
—. (*See* Rane et al.), 658
WILSON, J. T., HOWELL, R. L., HOLLADAY, M. W., BRILIS, G. M., CHRASTIL, J., WATSON, J. T., AND TABER, D. F. Gentisuric acid: Metabolic formation in animals and identification as a metabolite of aspirin in man, 635
WINGARD, L. B., O'REILLY, R. A., AND LEVY, G. Pharmacokinetics of warfarin enantiomers: A search for intrasubject correlations, 212
WOLEN, R. L. (*See* Rubin et al.), 272
WONG, D. (*See* Lemberger et al.), 421
WOO, W.-C. R., DUPONT, C., COLLINGE, J., AND ARANDA, J. V. Effects of furosemide in the newborn, 266
WOOD, A. J., BOLLI, P., WAAL-MANNING, H. J., AND SIMPSON, F. O. Ticrynafen: Kinetics, protein binding, and effects on serum and urinary uric acid, 697
WOOD, A. J. J. (*See* Kornhauser et al.), 165
WOOLLEY, P. (*See* Hoth et al.), 712
WYLIE, L. T. (*See* Ziegler et al.), 573, 580

Y

YU, G. (*See* Reidenberg et al.), 371
YU, P. N. (*See* Popio et al.), 281
YUE, K. T. N. (*See* Davis et al.), 505
YURCHAK, A. M. (*See* Gal et al.), 438

Z

ZELIS, R. (*See* Flaim et al.), 542
ZIEGLER, V. E., BIGGS, J. T., WYLIE, L. T., CORYELL, W. H., HANIFL, K. M., HAWF, D. J., AND ROSEN, S. H. Protriptyline kinetics, 580
—, —, —, ROSEN, S. H., HAWF, D. J., AND CORYELL, W. H. Doxepin kinetics, 573
ZIFFERBLATT, S. M., AND WILBUR, C. S. A psychological perspective for double-blind trials, 1 (Commentary)
ZILLY, W., BREIMER, D. D., AND RICHTER, E. Hexobarbital disposition in compensated and decompensated cirrhosis of the liver, 525

Subject index

A

Acetylator(s), rapid and slow isoniazid, dose-dependent changes in sulfamethazine kinetics in (Olson et al.), 204
  status, procainamide, determination of (Lima and Jusko), 25
Achlorhydria, tetracycline absorption in elderly patients with (Kramer et al.), 467
Acid, para-aminosalicylic, as lipid-lowering agent (Vessby et al.), 651
ACTH, effect of glucocorticoids and, on antipyrine clearance in children (Saenger et al.), 692
Aerosol, terbutaline, bronchodilating effect of (Chester et al.), 630
Age, diazepam dose, plasma level, and central nervous system depression, relationship between (Reidenberg et al.), 371
Airway bronchodilator dose, method of quantifying; response of asthmatic patients to fenoterol inhalation (Ruffin et al.), 338
Alclofenac, nonsteroidal anti-inflammative, effect of food on kinetics of (Sennello et al.), 414
Alcohol withdrawal manifestations, kinetics of chlormethiazole in patients with (Jostell et al.), 181
Alcoholics, absorption of oral and intramuscular chlordiazepoxide by (Perry et al.), 535
Allopurinol kinetics (Hande et al.), 598
Amberlite hemoperfusion in lowering of plasma methotrexate (Gibson et al.), 351
American Society for Clinical Pharmacology and Therapeutics, abstracts of papers, 107
  meeting program, Seventy-ninth Annual Meeting, March 29-31, 1978, Peachtree Plaza Hotel, Atlanta, Ga., 98
  message from President, 97
  notes of, 724
Amphetamine isomers, salivary excretion of, kinetics, and effect of urinary pH (Wan et al.), 585
Analgesic activity of floctafenine after cholecystectomy (Morris and Henderson), 383
Angina, exercise-induced, effect of aspirin on (Davis et al.), 505
Angiotensin II, 1-sarcosine, 8-isoleucine, in hypertension, sodium depletion and blood pressure response to (Ogihara et al.), 566
Animals, metabolic formation in, and identification of gentisuric acid as metabolite of aspirin in man (Wilson et al.), 635
Announcement, 494, 725
Antihistamine effects, sedative and, correlation between plasma diphenhydramine level and (Carruthers et al.), 375
Antipyrine clearance in children, effect of glucocorticoids and ACTH on (Saenger et al.), 692
  disposition, failure of hydrocortisone to alter acutely (Shively et al.), 408
  and theophylline metabolism, effect of charcoal-broiled beef on (Kappas et al.), 445
Anxiety, anti-, drugs, model for evaluation of, with use of experimentally induced stress; comparison of nabilone and diazepam (Nakano et al.), 54
Arthritis, rheumatoid, drug trial in; new design (Arendt-Racine et al.), 233
Aspirin dosage regimens, rational (Levy and Giacomini), 247 (Commentary)

January, pp. 1-138; February, pp. 139-246; March, pp. 247-370; April, pp. 371-494; May, pp. 495-616; June, pp. 617-742.

Aspirin—Cont'd
effect of, on exercise-induced angina (Davis et al.), 505
fendosal and, in postpartum uterine pain (Bloomfield et al.), 390
gastrointestinal blood loss after diflunisal and; effect of ethanol (DeSchepper et al.), 669
identification of gentisuric acid as metabolite of, in man; metabolic formation in animals, 635
and naproxen, gastrointestinal microbleeding after (Lussier et al.), 402
Asthmatic patients, response of, to fenoterol inhalation; method of quantifying airway bronchodilator dose (Ruffin et al.), 338

B

β-Adrenoceptor antagonist action of timolol, antihypertensive and (Simon et al.), 152
β-Aminopropionitrile and cyanoacetic acid, urinary excretion of (Fleisher et al.), 520
Beef, charcoal-broiled, effect of, on antipyrine and theophylline metabolism (Kappas et al.), 445
Biological determinants of propranolol disposition in man (Kornhauser et al.), 165
Biostatistics, clinical. XLII. The architecture of cross-sectional research (Part 1) (Feinstein), 81
XLIII. The architecture of cross-sectional research (conclusion) (Feinstein), 481
Bleeding tendency, mechanism whereby toxic doses of methaqualone cause (Mills), 685
Blind breaking in long-term clinical trial, steps recommended to manage (Zifferblatt and Wilbur), 1 (Commentary)
Blood flow, forearm, differential effects of morphine on; attenuation of sympathetic control of cutaneous circulation (Flaim et al.), 542
loss, gastrointestinal, after diflunisal and after aspirin; effect of ethanol (DeSchepper et al.), 669
platelet function, effects of methaqualone on (Mills), 685
pressure response, sodium depletion and, to 1-sarcosine, 8-isoleucine angiotensin II in hypertension (Ogihara et al.), 566
Books received, 138, 494, 616, 726
Breakfast, standard, effect of, on digoxin absorption in normal subjects (Johnson et al.), 315
Bronchodilating effect of terbutaline aerosol (Chester et al.), 630
Bronchodilator dose, airway, method of quantifying; response of asthmatic patients to fenoterol inhalation (Ruffin et al.), 338
Butorphanol, morphine and, hemodynamic and respiratory effects of (Popio et al.), 281

C

Calcitriol in dialysis patients (Maxwell et al.), 515
Cancer pain, effect of nitrogen analog of tetrahydrocannabinol on (Staquet et al.), 397
Carbamazepine and carbamazepine-epoxide, kinetics of, determined by use of plasma and saliva (Westenberg et al.), 320
Cardiopulmonary bypass, cefamandole kinetics during (Polk et al.), 473
Cefamandole kinetics during cardiopulmonary bypass (Polk et al.), 473
Central nervous system depression, relationship between diazepam dose, plasma level, age, and (Reidenberg et al.), 371
function, fluoxetine possible tool in study of (Lemberger et al.), 421
Charcoal-broiled beef, effect of, on antipyrine and theophylline metabolism (Kappas et al.), 445
Charcoal, uncoated, in lowering of plasma methotrexate (Gibson et al.), 351
Children, antipyrine clearance in, effect of glucocorticoids and ACTH on (Saenger et al.), 692
Chlordiazepoxide, oral and intramuscular, absorption of, by alcoholics (Perry et al.), 535
Chlorhexidine, comparison of povidone-iodine and; hand-washing degerming (Dineen), 63
Chlormethiazole, kinetics of, in patients with alcohol withdrawal manifestations (Jostell et al.), 181
Chlorothiazide, increase in diuretic effect of, by probenecid (Brater), 259
Chlorozotocin, Phase I studies on (Hoth et al.), 712
Chlorpromazine levels, plasma, effect of lithium on (Rivera-Calimlim et al.), 451
Cholecystectomy, analgesic activity of floctafenine after (Morris and Henderson), 383
Cigars, small, absorption of nicotine from (Armitage et al.), 143
Circadian effect, no, on nortriptyline kinetics in man (Nakano and Hollister), 199
variation in response to potassium infusion (Moore-Ede et al.), 218
Circulation, cutaneous, attenuation of sympathetic control of; differential effects of morphine on forearm blood flow (Flaim et al.), 542
Cirrhosis of liver, compensated and decompensated, hexobarbital disposition in (Zilly et al.), 525

Cis-platinum (II) dichlorodiammine, nephrotoxicity of (Stark and Howell), 461
Clinical biostatistics. XLII. The architecture of cross-sectional research (Part 1) (Feinstein), 81
XLIII. The architecture of cross-sectional research (conclusion) (Feinstein), 481
investigation, effects of new Federal regulations on (McMahon), 495 (Editorial)
pharmacology: Reflections in my rear-view mirror (Modell), 497 (Commentary)
and Therapeutics, American Society for, notes of, 724
safety trial of stroma-free hemoglobin (Savitsky et al.), 73
Cocaine, metabolism of, in man (Inaba et al.), 547
Creatinine, serum and urine, rise in, after phenacemide (Richards et al.), 430
Cyanoacetic acid, urinary excretion of β-aminopropionitrile and (Fleisher et al.), 520
Cyproheptadine in levodopa-induced dyskinesia in parkinsonism (Papavasiliou et al.), 195

D

Degerming, hand-washing; comparison of povidone-iodine and chlorhexidine (Dineen), 63
Depression, central nervous system, relationship between diazepam dose, plasma level, age, and (Reidenberg et al.), 371
high plasma nortriptyline levels in treatment of (Montgomery et al.), 309
Dialysis patients, calcitriol in (Maxwell et al.), 515
Diazepam dose, plasma level, age, and central nervous system depression, relationship between (Reidenberg et al.), 371
nabilone and, comparison of; model for evaluation of antianxiety drugs with use of experimentally induced stress (Nakano et al.), 54
Dichlorodiammine, cis-platinum (II), nephrotoxicity of (Stark and Howell), 461
Dietary abstention from or exposure to methylxanthines, alterations induced by; studies on theobromine disposition in normal subjects (Drouillard et al.), 296
Diflunisal, gastrointestinal blood loss after and after aspirin; effect of ethanol (DeSchepper et al.), 669
Digitoxicity, serum digoxin and empiric methods in identification of (Waldorff and Buch), 19
Digoxin absorption in normal subjects, effect of standard breakfast on (Johnson et al.), 315
Digoxin—Cont'd
serum, and empiric methods in identification of digitoxicity (Waldorff and Buch), 19
suppression of renal excretion of, in hypokalemic patients (Steiness), 511
Diphenhydramine level, plasma, and sedative and antihistamine effects, correlation between (Carruthers et al.), 375
Diuretic effect of chlorothiazide by probenecid, increase in diuretic effect of (Brater), 259
uricosuric antihypertensive, ticrynafen (Stote et al.), 456
Diurnal variation of prednisolone binding to serum corticosteroid-binding globulin in man (Angeli et al.), 47
Doctors' estimates, accuracy of, and patients' statements on adherence to drug regimen (Roth and Caron), 361
Dosage, new technique for individualizing, in optimal phenytoin therapy (Mullen), 228
regimens, rational aspirin (Levy and Giacomini), 247 (Commentary)
Dose-dependent changes in sulfamethazine kinetics in rapid and slow isoniazid acetylators (Olson et al.), 204
Dose, loading, one-compartment formula acceptable for determining drug clearance, maintenance dose, and (Dvorchik and Vesell), 617 (Commentary)
Double-blind trials, psychological perspective for (Zifferblatt and Wilbur), 1 (Commentary)
Doxepin kinetics (Ziegler et al.), 573
Drug(s), antianxiety, model for evaluation of, with use of experimentally induced stress; comparison of nabilone and diazepam (Nakano et al.), 54
regimen, accuracy of doctors' estimates and patients' statements on adherence to (Roth and Caron), 361
thirty-eight, significance of error associated with use of one-compartment formula to calculate clearance of (Dvorchik and Vesell), 617 (Commentary)
trial in rheumatoid arthritis; new design (Arendt-Racine et al.), 233
Dyskinesia, levodopa-induced, in parkinsonism, cyproheptadine in (Papavasiliou et al.), 195

E

Ethanol, effect of; gastrointestinal blood loss after diflunisal and after aspirin (DeSchepper et al.), 669
Exercise-induced angina, effect of aspirin on (Davis et al.), 505

F

Federal regulations, new, effects of, on clinical investigation (McMahon), 495 (Editorial)
Fendosal and aspirin in postpartum uterine pain (Bloomfield et al.), 390
Fenoterol inhalation, response of asthmatic patients to; method of quantifying airway bronchodilator dose (Ruffin et al.), 338
Fentanyl, pharmacokinetics of, as determined by radioimmunoassay (Schleimer et al.), 188
Floctafenine, analgesic activity of, after cholecystectomy (Morris and Henderson), 383
Fluoride bioavailability after intravenous and oral administration; importance of renal clearance and urine flow (Ekstrand et al.), 329
Fluoxetine, selective serotonin uptake inhibitor (Lemberger et al.), 421
Food, effect of, on kinetics of nonsteroidal antiinflammative, alclofenac (Sennello et al.), 414
Furosemide, effects of, in newborn (Woo et al.), 266
kinetics in renal failure (Tilstone and Fine), 644
piretanide and, kinetic and dynamic comparison of (Lawrence et al.), 558

G

Gastrointestinal blood loss after diflunisal and after aspirin; effect of ethanol (DeSchepper et al.), 669
microbleeding after aspirin and naproxen (Lussier et al.), 402
Gentamicin binding to serum and plasma proteins (Myers et al.), 356
netilmicin and, kinetics of (Jahre et al.), 591
Gentisuric acid; metabolic formation in animals and identification as metabolite of aspirin in man (Wilson et al.), 635
Globulin, serum corticosteroid–binding, in man, diurnal variation of prednisolone binding to (Angeli et al.), 47
Glucocorticoids, effect of ACTH and, on antipyrine clearance in children (Saenger et al.), 692

H

Hand-washing degerming; comparison of povidone-iodine and chlorhexidine (Dineen), 63
Heart failure, congestive, quinidine kinetics in (Ueda and Dzindzio), 158
Hemodynamic effects of trimazosin in patients with left ventricular failure (Franciosa and Cohn), 11
and respiratory effects of morphine and butorphanol (Popio et al.), 281
Hemoglobin, stroma-free, clinical safety trial of (Savitsky et al.), 73
Hemoperfusion for methotrexate removal (Gibson et al.), 351
Hemorrhage and thrombotic complications in patients receiving intermittent intravenous injections of heparin (Coon), 139 (Commentary)
Heparin, drug of varying composition and effectiveness (Coon), 139 (Commentary)
Hexobarbital disposition in compensated and decompensated cirrhosis of liver (Zilly et al.), 525
Homeostases, potassium, circadian variations in (Moore-Ede et al.), 218
Hydrochlorothiazide and ticrynafen in hypertension (Okun and Beg), 703
Hydrocortisone, failure of, to alter acutely antipyrine disposition (Shively et al.), 408
Hyperlipoproteinemias, binding of quinidine to plasma proteins in normal subjects and in patients with (Kates et al.), 30
Hypertension, essential, propranolol withdrawal and thyroid hormones in patients with (Kristensen et al.), 624
1-sarcosine, 8-isoleucine angiotensin II in, sodium depletion and blood pressure response to (Ogihara et al.), 566
ticrynafen and hydrochlorothiazide in (Okun and Beg), 703
Hypertensive, anti-, and β-adrenoceptor antagonist action of timolol (Simon et al.), 152
uricosuric anti-, diuretic, ticrynafen (Stote et al.), 456
Hypokalemic patients, suppression of renal excretion of digoxin in (Steiness), 511

I

Indomethacin, relation between plasma concentration of, and its effect on prostaglandin synthesis and platelet aggregation in man (Rane et al.), 658
Inflammative, anti-, nonsteroidal, alclofenac, effect of food on kinetics of (Sennello et al.), 414
Investigation, clinical, effects of new Federal regulations on (McMahon), 495 (Editorial)
8-Isoleucine, 1-sarcosine angiotensin II in hypertension, sodium depletion and blood pressure response to (Ogihara et al.), 566
Isomers, amphetamine, salivary excretion of, kinetics, and effect of urinary pH (Wan et al.), 585
Isoniazid acetylators, rapid and slow, dose-dependent changes in sulfamethazine kinetics in (Olson et al.), 204
Isoproterenol and norepinephrine after labetalol, concurrent antagonism of (Richards and Prichard), 253

K

Kinetic(s), allopurinol (Hande et al.), 598
of carbamazepine and carbamazepine-epoxide, determined by use of plasma and saliva (Westenberg et al.), 320
cefamandole, during cardiopulmonary bypass (Polk et al.), 473
of chlormethiazole in patients with alcohol withdrawal manifestations (Jostell et al.), 181
doxepin (Ziegler et al.), 573
and dynamic comparison of piretanide and furosemide (Lawrence et al.), 558
furosemide, in renal failure (Tilstone and Fine), 644
high-dose methotrexate, effect of pleural effusion on (Evans and Pratt), 68
of netilmicin and gentamicin (Jahre et al.), 591
in man (Pechere et al.), 677
of nonsteroidal anti-inflammative, alclofenac, effect of food on (Sennello et al.), 414
nortriptyline, in man, no circadian effect on (Nakano and Hollister), 199
of polythiazide (Hobbs and Twomey), 241
protein binding, and effects of tiCrynafen on serum and urinary uric acid (Wood et al.), 697
protriptyline (Ziegler et al.), 580
quinidine, in congestive heart failure (Ueda and Dzindzio), 158
salivary excretion of amphetamine isomers, and effect of urinary pH (Wan et al.), 585
sulfamethazine, dose-dependent changes in, in rapid and slow isoniazid acetylators (Olson et al.), 204
timolol, in chronic renal insufficiency (Lowenthal et al.), 606

L

Labetalol, isoproterenol and norepinephrine after, concurrent antagonism of (Richards and Prichard), 253
Lergotrile, physiologic disposition of (Rubin et al.), 272
Levodopa-induced dyskinesia in parkinsonism, cyproheptadine in (Papavasiliou et al.), 195
Lipid-lowering agent, para-aminosalicylic acid as (Vessby et al.), 651
Lithium, effect of, on plasma chlorpromazine levels (Rivera-Calimlim et al.), 451
Liver, compensated and decompensated cirrhosis of, hexobarbital disposition in (Zilly et al.), 525

M

Man, kinetics of netilmicin in (Pechere et al.), 677
Meperidine, disposition of, in pregnancy (Morgan et al.), 288
Metabolism of cocaine in man (Inaba et al.), 547
Methadone maintenance; plasma levels and therapeutic outcome (Holmstrand et al.), 175
Methaqualone, effects of, on blood platelet function (Mills), 685
Methotrexate kinetics, high-dose, effect of pleural effusion on (Evans and Pratt), 68
removal, hemoperfusion for (Gibson et al.), 351
Methylxanthines, alterations induced by dietary abstention from or exposure to; studies on theobromine disposition in normal subjects (Drouillard et al.), 296
Microbleeding, gastrointestinal, after aspirin and naproxen (Lussier et al.), 402
Morphine and butorphanol, hemodynamic and respiratory effects of (Popio et al.), 281
differential effects of, on forearm blood flow: Attenuation of sympathetic control of cutaneous circulation (Flaim et al.), 542

N

Nabilone and diazepam, comparison of; model for evaluation of antianxiety drugs with use of experimentally induced stress (Nakano et al.), 54
Naproxen, gastrointestinal microbleeding after aspirin and (Lussier et al.), 402
Neonates, phenobarbital pharmacokinetics in (Pitlick et al.), 346
Nephrotoxicity of cis-platinum (II) dichlorodiammine (Stark and Howell), 461
Netilmicin and gentamicin, kinetics of (Jahre et al.), 591
kinetics of, in man (Pechere et al.), 677
Newborn, effects of furosemide in (Woo et al.), 266
Nicotine, absorption of, from small cigars (Armitage et al.), 143
Nitrogen analog of tetrahydrocannabinol, effect of, on cancer pain (Staquet et al.), 397
Norepinephrine, isoproterenol and, after labetalol, concurrent antagonism of (Richards and Prichard), 253
Nortriptyline in depressed patients with high plasma levels (Braithwaite et al.), 303
kinetics in man, no circadian effect on (Nakano and Hollister), 199
levels, high plasma, in treatment of depression (Montgomery et al.), 309

O

Obesity, theophylline disposition in (Gal et al.), 438
Oxipurinol, spectrophotometric assay for measuring allopurinol and (Hande et al.), 598

P

Pain, cancer, effect of nitrogen analog of tetrahydrocannabinol on (Staquet et al.), 397
postpartum uterine, fendosal and aspirin in (Bloomfield et al.), 390
Para-aminosalicylic acid as lipid-lowering agent (Vessby et al.), 651
Parkinsonism, cyproheptadine in levodopa-induced dyskinesia in (Papavasiliou et al.), 195
Pharmacokinetic(s) of fentanyl as determined by radioimmunoassay (Schleimer et al.), 188
phenobarbital in neonates (Pitlick et al.), 346
studies on tolerance to sedative-hypnotics in poly-drug abuse population; secobarbital (Faulkner et al.), 36
of warfarin enantiomers; search for intrasubject correlations (Wingard et al.), 212
Pharmacology, clinical; reflections in rear-view mirror (Modell), 497 (Commentary)
Phase I studies on chlorozotocin (Hoth et al.), 712
Phenacemide, rise in serum and urine creatinine after (Richards et al.), 430
Phenobarbital pharmacokinetics in neonates (Pitlick et al.), 346
Phenytoin therapy, optimal; new technique for individualizing dosage (Mullen), 228
Physiologic disposition of lergotrile (Rubin et al.), 272
Piretanide and furosemide, kinetic and dynamic comparison of (Lawrence et al.), 558
Plasma chlorpromazine levels, effect of lithium on (Rivera-Calimlim et al.), 451
concentration of indomethacin, relation between, and effect on prostaglandin synthesis and platelet aggregation in man (Rane et al.), 658
diphenhydramine level and sedative and antihistamine effects, correlation between (Carruthers et al.), 375
level(s), diazepam dose, age, and central nervous system depression, relationship between (Reidenberg et al.), 371
high, nortriptyline in depressed patients with (Braithwaite et al.), 303
and therapeutic outcome in methadone maintenance (Holmstrand et al.), 175
nortriptyline levels, high, in treatment of depression (Montgomery et al.), 309
proteins, binding of quinidine to, in normal subjects and in patients with hyperlipoproteinemias (Kates et al.), 30
serum and, gentamicin binding to (Myers et al.), 356
and saliva, kinetics of carbamazepine and carbamazepine-epoxide determined by use of (Westenberg et al.), 320
Platelet aggregation in man, relation between plasma concentration of indomethacin and its effect on (Rane et al.), 658
Platelet—Cont'd
function, blood, effects of methaqualone on (Mills), 685
Pleural effusion, effect of, on high-dose methotrexate kinetics (Evans and Pratt), 68
Polythiazide, kinetics of (Hobbs and Twomey), 241
Potassium infusion, circadian variation in response to (Moore-Ede et al.), 218
Povidone-iodine and chlorhexidine, comparison of; hand-washing degerming (Dineen), 63
Prednisolone binding, diurnal variation of, to serum corticosteroid–binding globulin in man (Angeli et al.), 47
Pregnancy, disposition of meperidine in (Morgan et al.), 288
Probenecid, increase in diuretic effect of chlorothiazide by (Brater), 259
Procainamide acetylator status, determination of (Lima and Jusko), 25
Propranolol disposition in man, biological determinants of (Kornhauser et al.), 165
withdrawal and thyroid hormones in patients with essential hypertension (Kristensen et al.), 624
Prostaglandin synthesis and platelet aggregation in man, relation between plasma concentration of indomethacin and its effect on (Rane et al.), 658
Protein binding, kinetics, and effects of ticrynafen on serum and urinary uric acid (Wood et al.), 697
Protriptyline kinetics (Ziegler et al.), 580
Psychological perspective for double-blind trials (Zifferblatt and Wilbur), 1 (Commentary)

Q

Quinidine, binding of, to plasma proteins in normal subjects and in patients with hyperlipoproteinemias (Kates et al.), 30
kinetics in congestive heart failure (Ueda and Dzindzio), 158

R

Radioimmunoassay, pharmacokinetics of fentanyl as determined by (Schleimer et al.), 188
Reflection on clinical pharmacology (Modell), 497 (Commentary)
Regulations, new Federal, effects of, on clinical investigation (McMahon), 495 (Editorial)
Renal clearance and urine flow, importance of, in fluoride bioavailability after intravenous and oral administration (Ekstrand et al.), 329
excretion of digoxin, suppression of, in hypokalemic patients (Steiness), 511
failure, furosemide kinetics in (Tilstone and Fine), 644

Renal—Cont'd
function, error dependent on, when monoexponential equation assumed (Reidenberg), 723 (Correspondence)
method for determination of acetylator status of procainamide not obscured by (Lima and Jusko), 25
trimethoprim/sulfamethoxazole and, in transplant patients (Caterson et al.), 553
insufficiency, chronic, timolol kinetics in (Lowenthal et al.), 606
Research, cross-sectional, architecture of (Feinstein), 81, 481 (Clinical biostatistics)
Respiratory effects, hemodynamic and, of morphine and butorphanol (Popio et al.), 281
Rheumatoid arthritis, drug trial in; new design (Arendt-Racine et al.), 233

S

Saliva, plasma and, kinetics of carbamazepine and carbamazepine-epoxide determined by use of (Westenberg et al.), 320
Salivary excretion of amphetamine isomers, kinetics, and effect of urinary pH (Wan et al.), 585
1-Sarcosine, 8-isoleucine angiotensin II in hypertension, sodium depletion and blood pressure response to (Ogihara et al.), 566
Secobarbital; pharmacokinetic studies on tolerance to sedative-hypnotics in poly-drug abuse population (Faulkner et al.), 36
Sedative and antihistamine effects, correlation between plasma diphenhydramine level and (Carruthers et al.), 375
Sedative-hypnotics, pharmacokinetic studies on tolerance to, in poly-drug abuse population; secobarbital (Faulkner et al.), 36
Serotonin uptake inhibitor, selective, fluoxetine (Lemberger et al.), 421
Serum corticosteroid–binding globulin in man, diurnal variation of prednisolone binding to (Angeli et al.), 47
digoxin and empiric methods in identification of digitoxicity (Waldorf and Buch), 19
and plasma proteins, gentamicin binding to (Myers et al.), 356
and urinary uric acid, kinetics, protein binding, and effects of ticrynafen on (Wood et al.), 697
and urine creatinine after phenacemide, rise in (Richards et al.), 430
Sodium depletion and blood pressure response to 1-sarcosine, 8-isoleucine angiotensin II in hypertension (Ogihara et al.), 566
Steroidal, non-, anti-inflammative, alclofenac, effect of food on kinetics of (Sennello et al.), 414
Stress, experimentally induced, model for evaluation of antianxiety drugs with use of; comparison of nabilone and diazepam (Nakano et al.), 54
Stroma-free hemoglobin, clinical safety trial of (Savitsky et al.), 73
Sulfamethazine kinetics, dose-dependent changes in, in rapid and slow isoniazid acetylators (Olson et al.), 204

T

Terbutaline aerosol, bronchodilating effect of (Chester et al.), 630
Tetracycline absorption in elderly patients with achlorhydria (Kramer et al.), 467
Tetrahydrocannabinol, effect of nitrogen analog of, on cancer pain (Staquet et al.), 397
Theobromine disposition in normal subjects, studies on (Drouillard et al.), 296
Theophylline disposition in obesity (Gal et al.), 438
metabolism, antipyrine and, effect of charcoal-broiled beef on (Kappas et al.), 445
Therapeutic outcome, plasma levels and, in methadone maintenance (Holmstrand et al.), 175
Thrombotic complications, hemorrhage and, in patients receiving intermittent intravenous injections of heparin (Coon), 139 (Commentary)
Thyroid hormones, propranolol withdrawal and, in patients with essential hypertension (Kristensen et al.), 624
Ticrynafen and hydrochlorothiazide in hypertension (Okun and Beg), 703
kinetics, protein binding, and effects on serum and urinary uric acid (Wood et al.), 697
uricosuric antihypertensive diuretic (Stote et al.), 456
Timolol, antihypertensive and β-adrenoceptor antagonist action of (Simon et al.), 152
kinetics in chronic renal insufficiency (Lowenthal et al.), 606
Transplant patients, trimethoprim/sulfamethoxazole and renal function in (Caterson et al.), 553
Trimazosin, hemodynamic effects of, in patients with left ventricular failure (Franciosa and Cohn), 11
Trimethoprim/sulfamethoxazole and renal function in transplant patients (Caterson et al.), 553

U

Uric acid, urinary, kinetics, protein binding, and effects of ticrynafen on serum and (Wood et al.), 697
Uricosuric antihypertensive diuretic, ticrynafen (Stote et al.), 456
Urinary excretion of β-aminopropionitrile and cyanoacetic acid (Fleisher et al.), 520

Urinary—Cont'd
pH, effect of, kinetics, salivary excretion of amphetamine isomers, and (Wan et al.), 585
uric acid, serum and, kinetics, protein binding, and effects of ticrynafen on (Wood et al.), 697
Urine creatinine, serum and, rise in, after phenacemide (Richards et al.), 430
flow, importance of renal clearance and, in fluoride bioavailability after intravenous and oral administration (Ekstrand et al.), 329
Uterine pain, postpartum, fendosal and aspirin in (Bloomfield et al.), 390

V

Ventricular failure, left, hemodynamic effects of trimazosin in patients with (Franciosa and Cohn), 11

W

Warfarin enantiomers, pharmacokinetics of; search for intrasubject correlations (Wingard et al.), 212